

SAFETY DATA SHEET

Ceramic Spray

1. PRODUCT IDENTIFICATION

1.1 TRADE NAME (AS LABELED): Ceramic Protectant
SYNONYMS: N/A
CAS#: Mixture
1.2 PRODUCT USE: Car Detailing
1.3 MANUFACTURER'S NAME: Detail Logix
ADDRESS: 3751 W 5th Ave C3 Post Falls ID 83854
BUSINESS PHONE: 1-208-262-9999
FAX NUMBER: 1-208-262-9999
1.4 EMERGENCY PHONE NUMBER
EMERGENCY PHONE #: 1-480-236-2304
EMAIL: nelsonk@detaillogix.com
1.5 PREPARATION INFORMATION:
DATE OF CURRENT REVISION: April 16, 2024
DATE OF LAST REVISION: N/A

2. HAZARD IDENTIFICATION

EMERGENCY OVERVIEW:

Product Description: This product is an amber liquid with a characteristic odor.
Health Hazards: Exposure to this product may cause irritation to eyes.
Flammability Hazards: This product is non-flammable.
Reactivity Hazards: None known
Environmental Hazards: The Environmental effects of this product have not been investigated. Release of this product is not expected to have significant adverse effects in the aquatic environment.

US DOT SYMBOLS

Non-Regulated Material



Signal Word Warning!

EUROPEAN and (GHS) Hazard Symbols



Signal Word: WARNING!

2.1 CLASSIFICATION OF SUBSTANCE OR MIXTURE IN ACCORDANCE WITH 29 CFR 1200 (OSHA HCS) AND THE EUROPEAN UNION DIRECTIVES:

This product does meet the definition of a hazardous substance or preparation as defined by 29 CFR 1910. 1200 AND the European Union Council Directives (EC No 1272/2008) and subsequent Directives.

EU HAZARD CLASSIFICATION OF INGREDIENTS PER DIRECTIVE 1272/2008/EC:

Index Number:

EC# 231-791-2 This substance is not classified in the Annex VI of Directive (EC No 1272/2008)

EC# 613-156-5 This substance is not classified in the Annex VI of (EC No 1272/2008)

SAFETY DATA SHEET

Ceramic Spray

Substances not listed either individually or in group entries must be self classified.

Component(s) Contributing to Classification(s)

All Components

2.2 LABEL ELEMENTS:

GHS Hazard Classification(s):

Eye Irritation Category 2A

Hazard Statement(s):

H319: Causes serious eye irritation

Precautionary Statement(s):

P264+P265: Wash hands [and ...] thoroughly after handling.

Do not touch eyes.

P280: Wear protective gloves.

Response Statements:

P305+351+338: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses if present and easy to do – continue rinsing.

P337+P317: If eye irritation persists: Get medical help.

Storage Statements:

None

Disposal Statements:

None

2.3 HEALTH HAZARDS OR RISKS FROM EXPOSURE:

SYMPTOMS OF OVEREXPOSURE BY ROUTE OF EXPOSURE: The most significant routes of exposure for this product are by skin or eye contact.

INHALATION: Inhalation of mists may be irritating to the respiratory tract.

CONTACT WITH SKIN: Repeated or prolonged contact may cause skin irritation.

EYE CONTACT: Contact may irritate the eyes, resulting in redness or watering

INGESTION: Ingestion may cause gastrointestinal irritation with nausea and diarrhea.

CHRONIC: None known

TARGET ORGANS: Eyes, Skin, Respiratory

3. COMPOSITION AND INFORMATION ON INGREDIENTS

| Hazardous Ingredients: | WT% | CAS# | EINECS # |
|------------------------|-------|-------------|-------------|
| Water | 70-90 | 7732-18-5 | 231-791-2 |
| Siloxane | 5-20 | Proprietary | Proprietary |
| Surfactant | 1-3 | Proprietary | Proprietary |
| | | | |

Balance of other ingredients is less than 1% in concentration (or 0.1% for carcinogens, reproductive toxins, or respiratory sensitizers).

4. FIRST-AID MEASURES

4.1 DESCRIPTION OF FIRST AID MEASURES:

EYE CONTACT: If product enters the eyes, open eyes while under gentle running water.

SKIN CONTACT: Rinse skin.

INHALATION: If breathing becomes difficult, remove victim to fresh air. If necessary, use artificial respiration to support vital functions. Seek medical attention.

SAFETY DATA SHEET

Ceramic Spray

INGESTION: If product is swallowed, do not induce vomiting. Dilute with water.

MEDICAL CONDITIONS AGGRAVATED BY EXPOSURE: None known

MEDICAL CONDITIONS AGGRAVATED BY EXPOSURE: None known

4.2 SYMPTOMS AND EFFECTS, BOTH ACUTE AND DELAYED:

Exposure to this product may cause irritation to skin and eyes. Inhalation of fumes/vapors may cause irritation to respiratory system. May be harmful if swallowed with digestive tract irritation, diarrhea and vomiting.

4.3 RECOMMENDATIONS TO PHYSICIANS: Treat symptoms and eliminate overexposure.

5. FIRE-FIGHTING MEASURES

5.1 FIRE EXTINGUISHING MATERIALS:

Water Spray: Yes

Foam: Yes

Halon: Yes

Carbon Dioxide: Yes

Dry Chemical: Yes

Other: Any "C" Class

5.2 UNUSUAL FIRE AND EXPLOSION HAZARDS:

Explosion Sensitivity to Mechanical Impact: No

Explosion Sensitivity to Static Discharge: No

5.3 SPECIAL FIRE-FIGHTING PROCEDURES:

Incipient fire responders should wear eye protection. Structural firefighters must wear Self-Contained Breathing Apparatus and full protective equipment. Isolate materials not yet involved in the fire and protect personnel. Move containers from fire area if this can be done without risk; otherwise, cool with carefully applied water spray. If possible, prevent runoff water from entering storm drains, bodies of water, or other environmentally sensitive areas.

6. ACCIDENTAL RELEASE MEASURES

6.1 PERSONAL PRECAUTIONS, PROTECTIVE EQUIPMENT AND EMERGENCY PROCEDURES:

See section 8.2 for Exposure Controls.

6.2 ENVIRONMENTAL PRECAUTIONS:

Construct a dike to prevent spreading. Keep out of sewers, storm drains, surface waters, and soils.

6.3 SPILL AND LEAK RESPONSE:

Soak up with absorbent material such as clay, sand or other suitable non-reactive material. Place in leak-proof containers. Seal tightly for proper disposal. Dispose of in accordance with U.S. Federal, State, and local hazardous

SAFETY DATA SHEET

Ceramic Spray

waste disposal regulations and those of Canada and its Provinces, those of Australia, Japan and EU Member States (see Section 13, Disposal Considerations)

7. HANDLING AND STORAGE

7.1 PRECAUTIONS FOR SAFE HANDLING:

Handle in accordance with good industrial hygiene and safety practice. Avoid contact with eyes.

7.2 STORAGE AND HANDLING PRACTICES:

Keep in cool, dry, well-ventilated area in closed containers. Protect containers from physical damage

Incompatible products: none known

7.3 SPECIFIC USES

Detailing Cars.

8. EXPOSURE CONTROLS – PERSONAL PROTECTION

8.1 Control Parameter:

Exposure Guidelines: This product does not contain any hazardous materials with occupational exposure limits as established by the region specific regulatory bodies.

8.2 Appropriate Engineering Controls:

Engineering Measure: None under normal use conditions.

Eye/Face Protection: None required for consumer use. Safety glasses with side shields are recommended for medical or industrial exposures.

Skin and Body Protection: No special protective equipment required

Respiratory Protection: None required under normal usage.

Hygiene Measures: Handle in accordance with good industrial hygiene and safety practice.

9. PHYSICAL AND CHEMICAL PROPERTIES

9.1 INFORMATION ON BASIC PHYSICAL AND CHEMICAL PROPERTIES:

APPEARANCE (Physical State) and COLOR: This product is a hazy liquid.

ODOR: Characteristic

ODOR THRESHOLD: Not Available

pH: 6-8

MELTING/FREEZING POINT: Not Available

BOILING POINT: 210-215°F (98.89-101.67°C)

FLASH POINT: Not Available

EVAPORATION RATE (n-BuAc=1): Not Available

FLAMMABILITY (SOLID, GAS): Not Applicable

UPPER/LOWER FLAMMABILITY OR EXPLOSION LIMITS: Not Applicable

VAPOR PRESSURE (mm Hg @ 20°C (68°F): Not Applicable

SAFETY DATA SHEET

Ceramic Spray

VAPOR DENSITY: Not Applicable
RELATIVE DENSITY: Not Applicable
DENSITY: Not Applicable
SPECIFIC GRAVITY: 1.00-1.20
SOLUBILITY IN WATER: Complete
WEIGHT PER GALLON: 8.35-8.55
PARTITION COEFFICIENT (n-octanol/water): Not Applicable
AUTO-IGNITION TEMPERATURE: Not Applicable
DECOMPOSITION TEMPERATURE: Not Available
VISCOSITY: Water
VOC 0 g/l / Lb/gal: 0
9.2 OTHER INFORMATION:
No additional information available.

10. STABILITY AND REACTIVITY

10.1 REACTIVITY:

This product is not reactive.

10.2 STABILITY:

Stable under conditions of normal storage and use.

10.3 POSSIBILITY OF HAZARDOUS REACTIONS:

Will not occur

10.4 CONDITIONS TO AVOID:

None known

10.5 MATERIALS WITH WHICH SUBSTANCE IS INCOMPATIBLE:

None known

10.6 HAZARDOUS DECOMPOSITION PRODUCTS:

Carbon dioxide, carbon monoxide and phosphorous compounds.

11. TOXICOLOGICAL INFORMATION

Information on Likely Routes of Exposure:

Product Information

Inhalation: There is no data available for this product

Eye Contact: There is no data available for this product

Skin Contact: There is no data available for this product

Ingestion: There is no data available for this product

Information on Toxicological Effects

Symptoms: No information available

Delayed and Immediate Effects as well as Chronic Effects from Short and Long Term Exposure

Sensitization: No information available

SAFETY DATA SHEET

Ceramic Spray

Mutagenic Effects: No information available

Carcinogenicity: Contains no ingredient listed as a carcinogen

Reproductive Toxicity: No information available

STOT – Single Exposure: No information available

STOT – Repeated Exposure: No information available

Chronic Toxicity: No known effect based on information supplied

Target Organ Effects: None known

Aspiration Hazard: No information available

12. ECOLOGICAL INFORMATION

12.1 TOXICITY:

No specific data available on this product.

12.2 PERSISTENCE AND DEGRADABILITY:

No specific data available on this product.

12.3 BIOACCUMULATIVE POTENTIAL:

No specific data available on this product.

12.4 MOBILITY IN SOIL:

No specific data available on this product.

12.5 RESULTS OF PBT AND Pvb ASSESSMENT:

No specific data available on this product.

12.6 OTHER ADVERSE EFFECTS:

No specific data available on this product.

ALL WORK PRACTICES MUST BE AIMED AT ELIMINATING ENVIRONMENTAL CONTAMINATION.

12.7 WATER ENDANGERMENT CLASS:

Water endangering in accordance with EU Guideline 91/155-EWG. Not determined

13. DISPOSAL CONSIDERATIONS

13.1 WASTE TREATMENT METHODS:

This material, as supplied, is not a hazardous waste according to Federal regulations (40 CFR 261). This material could become a hazardous waste if it is mixed with or otherwise comes in contact with a hazardous waste, if chemical additions are made to this material, or if the material is processed or otherwise altered. Consult 40 CFR 261 to determine whether the altered material is a hazardous waste. Consult the appropriate state, regional, or local regulations for additional requirements.

Contaminated Packaging: Dispose of in accordance with local regulations

California Hazardous Waste Codes: 561

13.2 EU Waste Code:

Not determined

SAFETY DATA SHEET

Ceramic Spray

14. TRANSPORTATION INFORMATION

US DOT, IATA, IMO, ADR:

U.S. DEPARTMENT OF TRANSPORTATION (DOT) SHIPPING REGULATIONS: This product is classified (per 49 CFR 172.101) by the U.S. Department of Transportation, as follows.

14.1 PROPER SHIPPING NAME: Non-Regulated Material

14.2 HAZARD CLASS NUMBER and DESCRIPTION: None

14.3 UN IDENTIFICATION NUMBER: None

14.4 PACKING GROUP: None

14.5 DOT LABEL(S) REQUIRED None

NORTH AMERICAN EMERGENCY RESPONSE GUIDEBOOK None

NUMBER:

14.6 MARINE POLLUTANT: None of the components of this product are designated by the Department of Transportation to be Marine Pollutants (49 CFR 172.101, Appendix B).

14.7 SPECIAL PRECAUTIONS FOR USER:

Avoid exposure

14.8 INTERNATIONAL TRANSPORTION:

INTERNATIONAL AIR TRANSPORT ASSOCIATION SHIPPING INFORMATION (IATA): This product is not considered as dangerous goods.

INTERNATIONAL MARITIME ORGANIZATION SHIPPING INFORMATION (IMO): This product is not considered as dangerous goods.

14.9 TRANSPORT IN BULK ACCORDING TO ANNEX II OF MARPOL 73/78 AND IBC CODE:

EUROPEAN AGREEMENT CONCERNING THE INTERNATIONAL CARRIAGE OF DANGEROUS GOODS BY ROAD (ADR): This product is not considered by the United Nations Economic Commission for Europe to be dangerous goods.

15. REGULATORY INFORMATION

International Inventories

TSCA: Complies

(United States Toxic Substances Control Act Section 8(b) Inventory)

DSL: Complies

(Canadian Domestic Substances List/Non-Domestic Substances List)

U.S. Federal Regulations

SARA 313: Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product does not contain any chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372.

SARA 311/312 Hazard Categories

Acute Health Hazard: No

Chronic Health Hazard: No

Fire Hazard: No

Sudden Release of Pressure Hazard: No

Reactive Hazard: No

Clean Water Act: This product does not contain any substances regulated as pollutants pursuant to The Clean Water Act (40 CFR 122.21 and 40 CFR 122.42)

SAFETY DATA SHEET

Ceramic Spray

CERCLA: This material, as supplied, does not contain any substances regulated as hazardous substances under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302) or the Superfund Amendments and Reauthorization Act (SARA) (40 CFR 355). There may be specific reporting requirements at the local, regional, or state level pertaining to releases of this material.

U.S. State Regulations:

California Prop 65: This product does not contain any Proposition 65 chemicals.

U.S. State Right-to-Know Regulations: This product does not contain any substances regulated by state right-to-know regulations.

U.S. EPA Label Information EPA Statement: Not applicable

16. OTHER INFORMATION

NFPA: Health Hazard: 1 Flammability: 0 Instability: 0

HMIS: Health Hazard: 1 Flammability: 0 Physical Hazard: 0

PREPARED BY: Nelson Keimer

DATE OF PRINTING: April 16, 2024

The information contained herein is believed to be accurate but is not warranted to be so. Data and calculations are based on information furnished by the manufacturer of the product and manufacturers of the components of the product. Users are advised to confirm in advance of the need that information is current, applicable and suited to the circumstances of use. Detail Logix assumes no responsibility for injury to vendee or third party person proximately caused by the material if reasonable safety procedures are not adhered to as stipulated in the data sheet. Furthermore, Detail Logix assumes no responsibility for injury caused by abnormal use of this material even if reasonable safety procedures are followed.

END OF SDS SHEET